

APP CRS 263°	Rwy Idg 3779
	TDZE 632
	Apt Elev 634

RNAV (GPS) RWY 26

GRIFFITH-MERRILLVILLE (05C)



RNP APCH

Obtain local altimeter setting on CTAF; when not received use Chicago Midway
 Init altimeter setting and increase all MDAs 60 feet. Visibility reduction by
 helicopters NA. Procedure NA at night.

MISSED APPROACH: Climbing left
 turn to 2400 direct REJMO and hold.

CHICAGO APP CON
133.1 285.6

UNICOM
123.0 (CTAF)



ELEV 634	TDZE 632
----------	----------

2400	REJMO	VGSI and descent angles not coincident (VGSI Angle 4.00/TCH 33).	5 NM Holding Pattern
		JASOL	REJMO
		083° →	← 263°
		2400	263° to RWY 26
CATEGORY	A	B	C D
LNNAV MDA	1160-1	528 (600-1)	NA
CIRCLING	1200-1	566 (600-1)	NA
REIL Rwy 8 and 26		MIRL Rwy 8-26	

EC-2, 16 JUN 2022 to 14 JUL 2022

EC-2, 16 JUN 2022 to 14 JUL 2022

APP CRS	Rwy Idg	4899
083°	TDZE	634
	Apt Elev	634

RNAV (GPS) RWY 8

GRIFFITH-MERRILLVILLE (Ø5C)

RNP APCH.



▼ Obtain local altimeter setting on CTAF; when not received use Chicago Midway
 ▲ NA Init altimeter setting and increase all MDAs 60 feet. Visibility reduction by helicopters NA. Procedure NA at night.

MISSED APPROACH: Climbing right turn to 2300 direct FIPEX and hold.

CHICAGO APP CON
133.1 285.6


UNICOM
123.0 (CTAF) 1

MSA RW08 25 NM



Procedure NA for arrivals at BOONE via V422 southeastbound.

ELEV 634 TDZE 634



5 NM Holding Pattern	VGSi and descent angles not coincident (VGSi Angle 3.50/TCH 44).		2300	FIPEX
	FIPEX	SOCOS		
2300	← 263°	→ 083°	2300	083°
			3.04°	TCH 41
		6 NM	5 NM	
CATEGORY	A	B	C	D
LNAV MDA	1080-1	446 (500-1)		NA
<input checked="" type="checkbox"/> CIRCLING	1200-1	566 (600-1)		NA

EC-2, 16 JUN 2022 to 14 JUL 2022

EC-2, 16 JUN 2022 to 14 JUL 2022

VORTAC CGT 114.2 Chan 89	APP CRS 084°	Rwy Idg TDZE 634 Apt Elev 634	4899
--	------------------------	---	-------------


VOR RWY 8
GRIFFITH-MERRILLVILLE (05C)

NA Obtain local altimeter setting on CTAF; when not received, use Chicago Midway Intl altimeter setting and increase all MDAs 60 feet. Visibility reduction by helicopters NA. Procedure NA at night.



MISSED APPROACH: Climb to 1100 then climbing right turn to 2300 direct CGT VORTAC and hold.

CHICAGO APP CON
133.1 285.6

UNICOM
123.0 (CTAF) 0



ELEV 634	TDZE 634
----------	----------



CATEGORY	A	B	C	D
S-8	1160-1	526 (600-1)		NA
CIRCLING	1200-1	566 (600-1)		NA
HIVAX FIX MINIMUMS				
S-8	1060-1	426 (500-1)		NA
CIRCLING	1200-1	566 (600-1)		NA

REIL Rwy 8 and 26 0				
MIRL Rwy 8-26 0				
FAF to MAP 7.4 NM				
Knots	60	90	120	150 180
Min:Sec	7:24	4:56	3:42	2:58 2:28

EC-2, 16 JUN 2022 to 14 JUL 2022

EC-2, 16 JUN 2022 to 14 JUL 2022