RNAV (GPS) RWY 27

MC ELROY AIRFIELD (2ØV)

WAAS CH 63040 W27A	APP CRS 275°	Rwy ldg 5540 TDZE 7415 Apt Elev 7415

RNP APCH

Circling to Rwy 9 NA at night. Circling NA south of Rwy 9-27. Rwy 27 helicopter visibility reduction below ¾ SM NA. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -29°C or above 48°C.

-19°C

MISSED APPROACH: Climb to 9300 then climbing right turn to 13400 direct FAMKO and on track 039° to BROCC and hold. # Missed approach requires minimum climb of 405 feet per NM to 10000.

AWOS-3	DENVER CENTER	UNICOM
118.425	128.65 282.2	122.8 (CTAF) L



ELEV	7415	TDZE	7415



CATEGORY	A	B	C	D
LPV DA #	8245-2½ 830 (900-2½)			NA
LPV DA	9021-6 1606 (1700-6)			NA
LNAV/VNAV DA	8819-5 1404 (1500-5)			NA
LNAV MDA	9100-1¼ 1685 (1700-1¼)	9100-1½ 1685 (1700-1½)	9100-3 1685 (1700-3)	NA
C CIRCLING	9100-1¼ 1685 (1700-1¼)	9100-1½ 1685 (1700-1½)	9220-3 1805 (1900-3)	NA

REIL Rwys 9 and 27 L
MIRL Rwy 9-27 L

SW-1, 22 FEB 2024 to 21 MAR 2024

SW-1, 22 FEB 2024 to 21 MAR 2024

APP CRS	Rwy ldg	N/A
050°	TDZE	N/A
	Apt Elev	7411

RNAV (GPS)-B
MC ELROY AIRFIELD (2ØV)

RNP APCH.

When local altimeter setting not received, procedure NA.
Night Landing Rwy 9 NA. Circling NA south of Rwy 9-27.

-19°C

MISSED APPROACH: Climbing right turn to 15600 direct PENEY and hold, continue climb-in-hold to 15600.

AWOS-3	DENVER CENTER	UNICOM
118.425	128.65 282.2	122.8 (CTAF) L





CATEGORY	A	B	C	D
C CIRCLING	9440-1¼ 2029 (2100-1¼)	9440-1½ 2029 (2100-1½)	9440-3 2029 (2100-3)	NA

REIL Rwys 9 and 27 L
MIRL Rwy 9-27 L

SW-1, 22 FEB 2024 to 21 MAR 2024

SW-1, 22 FEB 2024 to 21 MAR 2024

VOR/DME RLG 113.8 Chan 85	APP CRS 034°	Rwy ldg N/A TDZE N/A Apt Elev 7411

VOR/DME-A
MC ELROY AIRFIELD (2ØV)

When local altimeter setting not received, procedure NA. Night Landing Rwy 9 NA. Circling NA south of Rwy 9-27.

-19°C

MISSED APPROACH: Climb to 13200 on RLG VOR/DME R-034 to HEPEG/RLG VOR/DME 8 DME then climbing right turn direct RLG VOR/DME and hold, continue climb-in-hold to 13200.

AWOS-3	DENVER CENTER	UNICOM
118.425	128.65 282.2	122.8 (CTAF) L



ELEV 7411



CATEGORY	A	B	C	D
C CIRCLING	9120-1¼ 1709 (1800-1¼)	9120-1½ 1709 (1800-1½)	9260-3 1849 (1900-3)	NA

REIL Rwys 9 and 27 L
MIRL Rwy 9-27 L