


APP CRS	Rwy Idg	3202
183°	TDZE	287
	Apt Elev	287

RNAV (GPS) RWY 18


MADISONVILLE MUNI (51R)

RNP APCH.	MISSED APPROACH: Climb to 1500, then climbing right turn to 2100 direct LOA VORTAC and hold.
▼ ▲ NA	Use Huntsville Muni altimeter setting. Procedure NA at night. Rwy 18 helicopter visibility reduction below 1 SM NA.

UTS ASOS 119.425	HOUSTON CENTER 134.8 269.6	CTAF 122.9
---------------------	-------------------------------	---------------



1500	2100	LOA
↑	↗	⬢
NALSY		
RWY 18		
3.00°		
TCH 40		
HESST		
2000		
Procedure Turn NA		
4.6 NM		
5 NM		
CATEGORY	A	B
C	D	
LNAV MDA	720-1	433 (500-1)
C	D	





APP CRS	Rwy Idg	3202
003°	TDZE	283
	Apt Elev	287

RNAV (GPS) RWY 36

MADISONVILLE MUNI (51R)

RNP APCH.	MISSED APPROACH: Climb to 1000 then climbing right turn to 3000 direct NAMIL WP and hold.
▼ ▲ NA	Use Huntsville Muni altimeter setting. Procedure NA at night. Rwy 36 helicopter visibility reduction below 1 SM NA.

UTS ASOS 119.425	HOUSTON CENTER 134.8 269.6	CTAF 122.9
---------------------	-------------------------------	---------------



CATEGORY	A	B	C	D
LNAV MDA	680-1	397 (400-1)	NA	NA

MADISONVILLE, TEXAS

Orig-B 07NOV19

30°55'N-95°57'W

MADISONVILLE MUNI (51R)




RNAV (GPS) RWY 36

VORTAC LOA	APP CRS	Rwy Idg	3202
110.8	168°	TDZE	287
Chan 45		Apt Elev	287

VOR/DME RWY 18
MADISONVILLE MUNI (51R)

▼ ▲ NA	Use Huntsville Muni altimeter setting. Procedure NA at night. Helicopter visibility reduction below 1 SM NA.	MISSED APPROACH: Climb to 1500, then climbing right turn to 2000 direct LOA VORTAC and hold.
-----------	--	--

UTS ASOS 119.425	HOUSTON APP CON 134.8 269.6	CTAF 122.9
---------------------	--------------------------------	---------------



SC-5, 22 FEB 2024 to 21 MAR 2024

SC-5, 22 FEB 2024 to 21 MAR 2024