WAAS	APP CRS	Rwy Idg	4300
CH 78120	262°	TDZE	1123
W26A		Apt Elev	1123

RNAV (GPS) RWY 26
RANDOLPH COUNTY (I22)

RNP APCH - GPS.

Baro-VNAV NA. Use Versailles altimeter setting; when not received, use Muncie altimeter setting: increase all DA/MDA 20 feet and visibility LPV all Cats ⅛ SM.

MISSED APPROACH: Climb to 2500 then climbing left turn to 3000 direct MOSEW and hold.

VES AWOS-3T	COLUMBUS APP CON	UNICOM
125.9	118.425 352.05	123.0 (CTAF) L



ELEV 1123 TDZE 1123





CATEGORY	A	B	C	D
LPV DA	1495-1 372 (400-1)			NA
LNAV/VNAV DA	1449-1 326 (400-1)			NA
LNAV MDA	1540-1 417 (500-1)		1540-1⅜ 417 (500-1⅜)	NA
C CIRCLING	1620-1 497 (500-1)		1820-2 697 (700-2)	NA

REIL Rwys 8 and 26 L
MIRL Rwy 8-26 L

EC-2, 22 FEB 2024 to 21 MAR 2024
EC-2, 22 FEB 2024 to 21 MAR 2024

RNAV (GPS) RWY 8

RANDOLPH COUNTY (I22)

WAAS	APP CRS	Rwy Idg	4300
CH 90420	082°	TDZE	1121
W08A		Apt Elev	1123

RNP APCH.

T
A NA Baro-VNAV NA.

MISSED APPROACH: Climb to 3000 direct MOSEW and hold.

VES AWOS-3T	COLUMBUS APP CON	UNICOM
125.9	118.425 352.05	123.0 (CTAF) L



ELEV 1123	TDZE 1121



CATEGORY	A	B	C	D
LPV DA	1430-⅞ 309 (400-⅞)			NA
LNAV/VNAV DA	1430-⅞ 309 (400-⅞)			NA
LNAV MDA	1560-1 439 (500-1)		1560-1¼ 439 (500-1¼)	NA
C CIRCLING	1620-1 497 (500-1)		1820-2 697 (700-2)	NA

MIRL Rwy 8-26 L
REIL Rwys 8 and 26 L

EC-2, 22 FEB 2024 to 21 MAR 2024
EC-2, 22 FEB 2024 to 21 MAR 2024

VOR/DME DQN	APP CRS	Rwy Idg	N/A
114.5	291°	TDZE	N/A
Chan 92		Apt Elev	1123

VOR-A

RANDOLPH COUNTY (I22)

DME required.

NA

MISSED APPROACH: Climbing right turn to 2700 on DQN VOR/DME R-291 to BICEN/21 DME and hold.

VES AWOS-3T	COLUMBUS APP CON	UNICOM
125.9	118.425 352.05	123.0 (CTAF) L



Procedure NA for arrival on DQN VOR/DME airway radials 234 CW 329.

ELEV 1123



REIL Rwys 8 and 26 L
MIRL Rwy 8-26 L



CATEGORY	A	B	C	D
C CIRCLING	1700-1	577 (600-1)	1820-2 697 (700-2)	NA

EC-2, 22 FEB 2024 to 21 MAR 2024
EC-2, 22 FEB 2024 to 21 MAR 2024