LOC I-SAQ	APP CRS	Rwy Idg	6501
109.1	099°	TDZE	1251
		Apt Elev	1252

ILS or LOC RWY 10
ALLEGHENY COUNTY (AGC)

Circling Rwy 13 NA at night.

MISSED APPROACH: Climb to 2000 then climbing right turn to 3000 direct AGC VOR/DME and hold, continue climb-in-hold to 3000.

ATIS	PITTSBURGH APP CON	ALLEGHENY TOWER	GND CON
120.55	119.35 285.575 337.4	121.1 239.0	121.7



ELEV 1252 TDZE 1251





CATEGORY	A	B	C	D
S-ILS 10	1451-¾ 200 (200-¾)			
S-LOC 10	1760-1 509 (600-1)		1760-1⅜ 509 (600-1⅜)	
C CIRCLING	1760-1 508 (600-1)		1980-2 728 (800-2)	1980-2¼ 728 (800-2¼)

REIL Rwys 10, 13, and 31
HIRL Rwys 10-28 and 13-31

FAF to MAP 5.4 NM

Knots	60	90	120	150	180
Min:Sec	5:24	3:36	2:42	2:10	1:48

NE-4, 22 FEB 2024 to 21 MAR 2024
NE-4, 22 FEB 2024 to 21 MAR 2024

ILS or LOC RWY 28

ALLEGHENY COUNTY (AGC)

LOC I-AGC	APP CRS	Rwy Idg	6501
109.1	281°	TDZE	1251
		Apt Elev	1252

For inoperative MALSR, increase S-LOC Cats C and D visibility to RVR 6000. Circling Rwy 13 NA at night.

MALSR

MISSED APPROACH: Climb to 2000 then climbing left turn to 3000 direct AGC VOR/DME and hold, continue climb-in-hold to 3000.

ATIS	PITTSBURGH APP CON	ALLEGHENY TOWER	GND CON
120.55	119.35 285.575	121.1 239.0	121.7

RADAR REQUIRED



ELEV 1252 TDZE 1251





REIL Rwys 10, 13, and 31
HIRL Rwys 10-28 and 13-31

FAF to MAP 3.8 NM

Knots	60	90	120	150	180
Min:Sec	3:48	2:32	1:54	1:31	1:16

CATEGORY	A	B	C	D
S-ILS 28	1501/24 250 (300-½)			
S-LOC 28	1660/24 409 (500-½)		1660/40 409 (500-¾)	
C CIRCLING	1720-1 468 (500-1)		1980-2 728 (800-2)	1980-2¼ 728 (800-2¼)

NE-4, 22 FEB 2024 to 21 MAR 2024
NE-4, 22 FEB 2024 to 21 MAR 2024

RNAV (GPS) RWY 10

ALLEGHENY COUNTY (AGC)

WAAS	APP CRS	Rwy Idg	6501
CH 97325	099°	TDZE	1251
W10A		Apt Elev	1252

RNP APCH - GPS.

For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C or above 54°C. Circling Rwy 13 NA at night.

MISSED APPROACH: Climb to 3100 direct LENLE and on track 166° to NESTO and hold.

ATIS	PITTSBURGH APP CON	ALLEGHENY TOWER	GND CON
120.55	119.35 285.575	121.1 239.0	121.7





CATEGORY	A	B	C	D
LPV DA	1451-¾	200 (200-¾)		
LNAV/VNAV DA	1554-1	303 (400-1)		
LNAV MDA	1660-1	409 (500-1)	1660-1⅛	409 (500-1⅛)
C CIRCLING	1720-1	468 (500-1)	1980-2 728 (800-2)	1980-2¼ 728 (800-2¼)



REIL Rwys 10, 13, and 31
HIRL Rwys 10-28 and 13-31

NE-4, 22 FEB 2024 to 21 MAR 2024
NE-4, 22 FEB 2024 to 21 MAR 2024

RNAV (GPS) RWY 28

ALLEGHENY COUNTY (AGC)

WAAS	APP CRS	Rwy Idg	6501
CH 65625	279°	TDZE	1251
W28A		Apt Elev	1252

RNP APCH - GPS.

For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C or above 54°C. Circling Rwy 13 NA at night. For inop ALS, increase LPV all Cats visibility to RVR 4500 and LNAV/VNAV all Cats visibility to RVR 5500.

MALSR

MISSED APPROACH: Climb to 3000 direct MESIE and on course 197° to AGC VOR/DME and hold, continue climb-in-hold to 3000.

ATIS	PITTSBURGH APP CON	ALLEGHENY TOWER	GND CON
120.55	119.35 285.575	121.1 239.0	121.7

Procedure NA for arrivals at HOMEE via V119 northbound, and arrivals at MILWO via V12 eastbound.



ELEV 1252 TDZE 1251





CATEGORY	A	B	C	D
LPV DA	1563/24 312 (400-½)			
LNAV/VNAV DA	1625/35 374 (400-⅝)			
LNAV MDA	1700/24 449 (500-½)		1700/45 449 (500-⅞)	
C CIRCLING	1720-1¼ 468 (500-1¼)		1980-2 728 (800-2)	1980-2¼ 728 (800-2¼)

REIL Rwys 10, 13, and 31
HIRL Rwys 10-28 and 13-31

NE-4, 22 FEB 2024 to 21 MAR 2024
NE-4, 22 FEB 2024 to 21 MAR 2024