


ILS or LOC RWY 32R
UNIVERSITY OF ILLINOIS/WILLARD (CMI)


MALSR

MISSED APPROACH: Climb to 1200 then climbing left turn to 2800 on CMI VORTAC R-297 to LODGE INT/CMI VORTAC 13.2 DME and hold.

ATIS 124.85	CHAMPAIGN APP CON ★ 121.35 285.65 (319°-138°) 132.85 290.225 (139°-318°)	CHAMPAIGN TOWER ★ 120.4 (CTAF) 0 229.4	GND CON 121.8	CLNC DEL 128.75	UNICOM 122.95
-----------------------	--	--	-------------------------	---------------------------	-------------------------



ELEV 755	D	TDZE 750
HIRL Rwy 14L-32R L		
MIRL Rwy 4-22 L		
MIRL Rwy 14R-32L		



FAF to MAP 5.5 NM					
Knots	60	90	120	150	180
Min:Sec	5:30	3:40	2:45	2:12	1:50

1200 ↑	2800 CMI R-297	LODGE △	CM LOM VEALS I-CMI 7 Remain within 10 NM 139° 319° 2600 2545 1.1 NM 4.4 NM GS 3.00° TCH 52			
			I-CMI 2.7 I-CMI 1.5			
CATEGORY	A	B	C	D		
S-ILS 32R*	950/24 200 (200-½)					
S-LOC 32R	1160/24	410 (500-½)	1160/40	410 (500-¾)		
CIRCLING	1240-1	485 (500-1)	1500-2¼ 745 (800-2¼)	1500-2½ 745 (800-2½)		


LOM CM 407	APP CRS 319°	Rwy Idg TDZE 8101 750 Apt Elev 755	NDB RWY 32R	
			UNIVERSITY OF ILLINOIS/WILLARD (CMI)	

▼
ASR

MALSRR

MISSED APPROACH: Climbing left turn to 2800 on CMI VORTAC R-297 to LODGE INT/CMI 13.2 DME and hold.

ATIS 124.85	CHAMPAIGN APP CON ★ 121.35 285.65 (319°-138°) 132.85 290.225 (139°-318°)	CHAMPAIGN TOWER ★ 120.4 (CTAF) 229.4	GND CON 121.8	CLNC DEL 128.75	UNICOM 122.95
-----------------------	--	---	-------------------------	---------------------------	-------------------------





ELEV **755** D TDZE **750**

HIRL Rwy 14L-32R
MIRL Rwy 4-22
MIRL Rwy 14R-32L

FAF to MAP 5.5 NM

Knots	60	90	120	150	180
Min:Sec	5:30	3:40	2:45	2:12	1:50

2800  CMI R-297		LODGE 		CM VEALS LOM 		Remain within 10 NM  139°	
				2600  319°		2600	
							
		$\leq 3.09^\circ$ TCH 54					
		5.5 NM					
CATEGORY	A		B		C		D
S-32R	1240/40		490 (500-¾)		1240/50		490 (500-1)
 CIRCLING	1240-1		485 (500-1)		1500-2¼ 745 (800-2¼)		1500-2½ 745 (800-2½)

EC-3, 22 FEB 2024 to 21 MAR 2024

EC-3, 22 FEB 2024 to 21 MAR 2024

RNAV (GPS) RWY 14L
UNIVERSITY OF ILLINOIS/WILLARD (CMI)

MISSED APPROACH:
Climb to 2600 direct
ODEBE and hold.

[illegible]

WAAS CH 97619 W22A	APP CRS 224°	Rwy Idg 6502 TDZE 750 Apt Elev 755
--	------------------------	---


RNAV (GPS) RWY 22
UNIVERSITY OF ILLINOIS/WILLARD (CMI)

RNP APCH - GPS.

 Rwy 22 helicopter visibility reduction below $\frac{3}{4}$ SM NA. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -21°C or above 54°C.

MISSED APPROACH:
Climb to 2300 direct
BOSTN and hold.

ATIS 124.85	CHAMPAIGN APP CON ★ 121.35 285.65 (319°-138°) 132.85 290.225 (139°-318°)	CHAMPAIGN TOWER ★ 120.4 (CTAF) 0 229.4	GND CON 121.8	CLNC DEL 128.75	UNICOM 122.95
----------------	--	---	------------------	--------------------	------------------



ELEV 755 **D** TDZE 750

224°

14L 8101 X 130

14R 6502 X 130

32L 3016 X 75

TWR 825

32R

2300 BOSTN

JESDI 2.1 NM to RW22

1 NM to RW22

RW22

ZUPKE 2400

MUGTE

4 NM Holding Pattern

044° → 6000

← 224° 2800

GP 3.00° TCH 43

CATEGORY	A	B	C	D
LPV DA	1000-3/4	250 (300-3/4)		
LNAV/VNAV DA	1219-1 3/8	469 (500-1 3/8)		
LNAV MDA	1120-1	370 (400-1)		
C CIRCLING	1240-1 485 (500-1)	1500-2 1/4 745 (800-2 1/4)	1500-2 1/2 745 (800-2 1/2)	

HIRL Rwy 14L-32R **1**

MIRL Rwy 4-22 **1**

MIRL Rwy 14R-32L

WAAS CH 61110 W32A	APP CRS 319°	Rwy Idg TDZE 750 Apt Elev 755	8101
--	------------------------	---	-------------

RNAV (GPS) RWY 32R

UNIVERSITY OF ILLINOIS/WILLARD (CMI)

⚠



For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -1° C (-2° F) or above 54° C (130° F). DME/DME RNP-0.3 NA. Baro-VNAV and VDP NA when using Rantoul altimeter setting. When local altimeter setting not received, use Rantoul altimeter setting and increase all DA 41 feet, all MDA 60 feet; increase LNAV Cat C/D visibility to RVR 5500. For inoperative MALS, when using local or Rantoul altimeter setting, increase LNAV Cat C/D visibility to 1½ miles.

MALS

MISSED APPROACH:

Climb to 2800 direct HIPUB and on track 287° to LODGE and hold.

ATIS 124.85	CHAMPAIGN APP CON ★ 121.35 285.65 (319°-138°) 132.85 290.225 (139°-318°)	CHAMPAIGN TOWER ★ 120.4 (CTAF) 229.4	GND CON 121.8	CLNC DEL 128.75	UNICOM 122.95
-----------------------	--	---	-------------------------	---------------------------	-------------------------





2800	HIPUB	tr 287°	LODGE	ZAGMO	ODEBE	4 NM Holding Pattern
* LNAV only	NUVIY 2.4 NM to RW32R	* 1560	2600	319°	139°	2600
	RW32R	1 NM	1.4 NM	3.2 NM	6.4 NM	GP 3.00° TCH 52
CATEGORY	A	B	C	D		
LPV DA	1000/24	250 (300-½)				
LNAV/VNAV DA	1159/50	409 (500-1)				
LNAV MDA	1200/24	450 (500-½)	1200/45	450 (500-¾)		
CIRCLING	1240-1	485 (500-1)	1500-2¼	1500-2½	745 (800-2¼)	745 (800-2½)

EC-3, 22 FEB 2024 to 21 MAR 2024

EC-3, 22 FEB 2024 to 21 MAR 2024

RNAV (GPS) RWY 4
UNIVERSITY OF ILLINOIS/WILLARD (CMI)

MISSED APPROACH: Climb to 2800 direct MUGTE and hold.


UNICOM
122.95

VOR RWY 14L
UNIVERSITY OF ILLINOIS/WILLARD (CMI)

MISSED APPROACH: Climb to 2700 then left turn heading 020° and CMI R-062 to OCTOE INT/12.2 DME and hold.


 TASR

ATIS 124.85	CHAMPAIGN APP CON ★ 121.35 285.65 (319°-138°) 132.85 290.225 (139°-318°)	CHAMPAIGN TOWER ★ 120.4 (CTAF) 0 229.4	GND CON 121.8	CLNC DEL 128.75	UNICOM 122.95
-----------------------	--	--	-------------------------	---------------------------	-------------------------

[illegible]

CHAMPAIGN-URBANA, ILLINOIS
Orig-B 13SEP18

UNIVERSITY OF ILLINOIS/WILLARD (CMI)
VOR RWY 14L

40°02'N-88°17'W

EC-3, 22 FEB 2024 to 21 MAR 2024

VOR RWY 22
UNIVERSITY OF ILLINOIS/WILLARD (CMI)

	Rwy 22 helicopter visibility reduction below $\frac{3}{4}$ SM NA.

MISSED APPROACH: Climb to 2800 then right turn on heading 340° and on CMI VORTAC R-297 to LODGE INT/CMI 13.2 DME and hold.

ATIS 124.85	CHAMPAIGN APP CON ★ 121.35 285.65 (319°-138°) 132.85 290.225 (139°-318°)	CHAMPAIGN TOWER ★ 120.4 (CTAF) 0 229.4	GND CON 121.8	CLNC DEL 128.75	UNICOM 122.95
-----------------------	--	--	-------------------------	---------------------------	-------------------------

HIRL Rwy 14L-32R **L**
MIRL Rwy 4-22 **L**
MIRL Rwy 14R-32L

2800	 hdg 340°	CMI R-297	LODGE △	STADI CMI ⑥	 027°	Remain within 10 NM
		LOLIY CMI ①.7	JOKOP CMI ②.8	 207°	2800	
	 207°	CMI VORTAC	CMI ①.7	2500		
		1 NM	1.1	1460	≤ 3.04 TCH 41	
		3.2 NM				
CATEGORY	A		B		C	D
S-22	1120-1		370 (400-1)		1120-1¼ 370 (400-1¼)	
C CIRCLING	1240-1	485 (500-1)		1500-2¼ 745 (800-2¼)	1500-2½ 745 (800-2½)	

VORTAC CMI	Rwy Idg	6502
110.0	TDZE	751
Chan 37	Apt Elev	755

APP CRS
052°

VOR RWY 4

UNIVERSITY OF ILLINOIS/WILLARD (CMI)

ASR

MISSED APPROACH: Climb to 2000 then climbing right turn to 2700 on CMI VORTAC R-062 to OCTOE INT/CMI 12.2 DME and hold.

ATIS	CHAMPAIGN APP CON *	CHAMPAIGN TOWER *	GND CON	CLNC DEL	UNICOM
124.85	121.35 285.65 (319°-138°) 132.85 290.225 (139°-318°)	120.4 (CTAF) 229.4	121.8	128.75	122.95

ELEV 755 D TDZE 751

Remain within 10 NM

2300

232°

052°

CMI 1.8

1.3 NM

2000

2700

CMI R-062

OCTOE

CATEGORY	A	B	C	D
S-4	1220-1	469 (500-1)	1220-1 ³ / ₈ 469 (500-1 ³ / ₈)	1220-1 ¹ / ₂ 469 (500-1 ¹ / ₂)
CIRCLING	1240-1	485 (500-1)	1500-2 ¹ / ₄ 745 (800-2 ¹ / ₄)	1500-2 ¹ / ₂ 745 (800-2 ¹ / ₂)

14L

22R

14R

32L

32R

TWR 825

052°

HIRL Rwy 14L-32R

MIRL Rwy 4-22

MIRL Rwy 14R-32L

CHAMPAIGN-URBANA, ILLINOIS

UNIVERSITY OF ILLINOIS/WILLARD (CMI)

Amdt 12A 13SEP18

40°02'N-88°17'W

VOR RWY 4