


AL-276 [USAF]

SELF RIDGE ANGB (KMT C)

LOC RFB 110.1	APCH CRS 007°	Rwy Idg 9000 THRE Appt Elev 580	AL-276 [USAF]	SELEBRIDGE ANGB (KMTQ)
V When A15 inop, increase RVR to 50 and vis to 1 mile. *** When A15 inop, increase vis to 1 3/8 miles. *** Circling not authorized W of Rwy 01-19.			SALS A2	MISSED APPROACH: Climb to 4000 on MTC R-007 to CASMO and hold, continue climb-in-hold to 4000.

MISSED APPROACH: Climb to 4000 on MTC R-007 to CASKO and hold, continue climb-in-hold to 4000

CAUTION: 5 NM intmt seg len.
Recommend early configuration.



EMERG SAFE ALT 100 NM 3100

CATEGORY	C	D	E
SLS/DME 1*	907/40	328	(400-3%)
S-LOC/DME 1	1060/60	481	(500-1%)
CIRCLING ***	1120-1½ 541 (600-1½)	1140-2 561 (600-2)	

MT. CLEMENS, MICHIGAN

42° 37' N - 82° 50' W


SELRIDGE ANGB (KMTG)

Amdt 2 23AUG12

HI-ILS or LOC/DME RWY 01

HI-ILS or LOC/DME RWY 19

LOC -IMTC 110.1	APCH CRS 187°	Rwy Idg 590 THRE Appl Elev 580	AL-276 [USAF]	SELF RIDGE ANGB (KMTCC)
▼ ** When AIS inop, increase RVR to 55, vnt 1 mile. *** When AIS inop, increase vis to 1 1/2 miles. **** Climbng not authorized W of Rwy 01-19.				
		AISF-1 	MISSED APPROACH: Climbng left turn to 4000, intercept ATC R-076 to SQRRS and hold, continue climb-hold to 4000.	



MT. CLEMENS, MICHIGAN
Amdt 3 23AUG12

MT. CLEMENS, MICHIGAN




42° 37' N - 82° 50' W

SELF RIDGE ANGB (KMT C)

HI-ILS or LOC/DME RWY 19


TACAN MTC	APCH CRS	Rwy Idg	AL-276 [USAF]	SELFRIDE ANGB (KMTC)
Chon 64	018°	THRE 579 Appt Elev 580		
✚ **When AIS inop, increase vis to 1½ miles. **Circling not authorized W of Rwy 01-19.		SALS A2	MISSED APPROACH: Climb to 4000 on MTC R-007 to CASCO and hold, continue climb-in-hold to 4000.	

ATIS	APP CON	TOWER *	GND CON	CLNC DEL
125.325 270.1	119.6 318.2	120.15 (CLAF) 0 225.4	128.3 275.8	128.3 275.8



TACAN MTC	APCH CRS	Rwy Idg	AL-276 [USAF]	SELFRIIDGE ANGB (KMTIC)
Chon 64	177°	THRE 579 Arpt Elev 580		
▼ ** When ALS inop, increase vis to 1½ miles. ** Circling not authorized W of Rwy 01-19.			ALS-F-1	MISSED APPROACH: Climbing left turn to 4000, intercept MTC R-096 to SQYRS and hold, continue climb-in-hold to 4000.

ATIS	APP CON	TOWER ★	GND CON	CINC DEL
125.325 270.1	119.6 318.2	120.15 (CLAF) 0 225.4	128.3 275.8	128.3 275.8



EMERG SAFE ALT 100 NM 3100				
VIPOR R-007 MTC 25	R-357	TOPAE 12	BKJUS 5	4000 MTC R-096 SQYRS
10,000	222°	177°	2800	1900
CATEGORY				
C		D		
S-19*		E		
CIRCLING**		E		
1120-1½		521 (600-1)		
541 (600-1½)		1140-2 561 (600-2)		

MT. CLEMENS, MICHIGAN
Anch 3 23AUG12
42°37'N-82°50'W


MT. CLEMENS, MICHIGAN


ILS or LOC/DME RWY 19

LOC I-MTC	APCH CRS	Rev/Idg	AL-276 [USAF]	SELFRIIDGE ANGB (KMTCT)	
110.1	187°	579 THRE Appt Elev 580		MISSED APPROACH: Climbing left turn to 4000. intercept MTC R-096 to SQYRS and hold, continue climb-in-hold to 4000.	
▲ ** When ALS inop, increase RVR to 55, vis to 1 mile. ** When ALS inop, increase CAT AB RVR to 55, vis to 1 mile, CAT CDE vis to 1 3/8 miles.					

ATIS	SELFRIIDGE APP CON	SELFRIIDGE TOWER *	GND CON	CLNC DEL
125.325 270.1	119.6 318.2	120.15 (CTAF) 0 225.4	128.3 275.8	128.3 275.8

*** Circling not authorized W of Rwy 01-19.



		4000 MTC R-096		SOYRS 1120		SOYRS R-096 1120	
TACAN HAMUK 1120		MASEY 57 RADAR		FINEX 1120		1120	
187°		2700'		1120' Arc		GS 3.00° TCH 51	
CATEGORY		A		B		C	
S-ILS 19 *		923/40		344		D	
S-LOC 19 **		1080/40 501 (600-341)		1080/55 501 (600-1)		E	
CIRCLING ***		1120-1 541 (600-1)		1120-1 1/2 541 (600-1 1/2)		1140-2 561 (600-2)	
FAF to MAP 4.9 NM		Knots		Min/Sec			
		60 90 120 150 180		4:54 3:16 2:27 1:58 1:38			

MT. CLEMENS, MICHIGAN

RNAV (GPS) RWY 1



APCH CRS	Rwy Idg	9000
007°	TDZE	580
	Arpt Elev	580

AL-276 (USAF)

SELFIDGE ANGB (KMTC)

▼ * When ALS inop increase RVR to 60, vis to 1 1/8 miles. ** When ALS inop increase CAT AB RVR to 55, vis to 1 mile; CAT CDE RVR to 60, vis to 1 1/8 miles. *** Circling not authorized W of Rwy 01-19.	SALS A2	MISSED APPROACH: Climb to 1200 then climbing right turn to 4000 direct CASKO (MTC TACAN R-007/12 DME) and hold, continue climb-in-hold to 4000.
---	-------------------------------------	---

ATIS 125.325 270.1	APP CON/DEP CON 119.6 318.2	TOWER★ 120.15 (CTAF) 0 225.4	GND CON 128.3 275.8	CLNC DEL 128.3 275.8
-----------------------	--------------------------------	--	------------------------	-------------------------



MT. CLEMENS, MICHIGAN

42°37'N - 82°50'W

SELFIDGE ANGB (KMTC)

Orig 20MAY21

RNAV (GPS) RWY 1

EC-1, 22 FEB 2024 to 21 MAR 2024

EC-1, 22 FEB 2024 to 21 MAR 2024

AL-276 [USAF]


SELF RIDGE ANGB (KMT C)

APCH CRS 187°	Rwy ldg THKE 579 Aptl Elev 560	9000
AL-276 [USAF]		
DME/DME RNP-0.3 NA	ALST-1 	MISSED APPROACH: Climb to 1200 then climbing left turn to 4000 direct SQYRS (MTC TACAN R-096/120ME), do not exceed 250 KIAS until turn completion and hold, continue climb-in-hold to 4000.
V * When ALS inop, increase vis to 1 1/4 miles.		

**** When ALS inop, increase CAT AB RVR to 55, vis to 1 mile, CAT CDE vis to 1 1/4 miles.**

*** Circling not authorized W of Rwy 01-19.

For uncompensated Baro-VNAV systems, Procedure NA below -16°C (4°F) or above 54°C (130°F).



EMERG SAFE ALT 100 NM 3100

MT. CLEMENS, MICHIGAN

Orig 12AUG21

42°37'N-82°50'W

SELFRIIDGE ANGB (KMTG)

RNAV (GPS) RWY 19

AL-276 [USAF]

SELFRIIDGE ANGB (KMTG)

TACAN MTC Chon 64	APCH CRS 018° Apt Elev 580	Rwy Idg THRE 579	9000	AL-276 [USAF]	SELRIDGE ANGB (KMTG)
▼ * When ALS inop, increase CAT AB R/R to 55, vis to 1 mile, CAT CDE vis to 1 3/8 miles. ** Clearing not authorized W of Rwy 01-19.				SALS 	MISSED APPROACH: Climb to 4000 on MTC R-007 to CASCO and hold, continue climb-in-hold to 4000.


**** When ALS inop, increase CAT AB RVR to 55, vis to 1 mile, CAT CDE vis to 1 ½ miles.**

SALS

A₂

MISSED APPROACH: Climb to 4000 on MTC R-0 to CASKO and hold, continue climb-in-hold to 4


CAUTION: 5 NM Intermediate Segment Length. Recommend Early Configuration.



EMERG SAFE ALT 100 NM 3100

Category	A	B	C	D	E
S-01*	1120/40 541 (600-34)	1120-1 3/8 541 (600-138)			
CIRCLING **	1120-1 541 (600-1)	1120-1 5/8 541 (600-138)	1140-2 561 (600-2)		

ELEV 580	THRE 579
61 675	HIRL Rwy 01-19
☆ REIL Rwy 01-19	



MT. CLEMENS, MICHIGAN

42° 37' N - 82° 50' W


Amdt 3 23AUG12

SELFRIIDGE ANGB (KMTC)

TACAN RWY 1

TACAN RWY 19

TACAN MTC Chen 64	ARCH CRS 177°	Rwy Idg THEE 579 APR Elev 580	AL-276 [USAF]	SELFRIIDGE ANGB (KMT/C)
▲ When ALS inop, increase CAT RB VR to 55, vis to 1 mile, CAT CDE vis to 1½ miles. ** Circling not authorized W of Rwy 01-19.			ALST-1  MISSED APPROACH: Climbing left turn to 4000, intercept MTC R-09x to SOYRS and hold, continue climb-in-hold to 4000.	
ATIS 125.325 270.1	SELFRIIDGE APP CON 119.6 318.2	SELFRIIDGE TOWER ★ 120.15 (CLAN) 225.4	GND CON 128.3 275.8	CLNC DEL 128.3 275.8



EMERG SAFE ALT 100 NM 3100

ELEV 580

THRE 579

177°₁₀

TACAN

HRL Rwy 01-19

REIL Rwy 01-19

61

675

9000 x 150

TWR 681

01

UNITED STATES

CANADA

4000

R-096

SCYRS

TOPAE

R-357

2800

177°

BKKUS

1900

4.1 NM

0.1

SOMPE

TACAN

CATEGORY	A	B	C	D	E
S-19 *	1100/40	521 (600-34)	1100/55	521 (600-1)	
CIRCLING **	1120-1 541 (600-1)		1120-1½ 541 (600-1½)	1140-2 561 (600-2)	

MT. CLEMENS, MICHIGAN
Amdt 3 23AUG12

42° 37' N - 82° 50' W

SELF RIDGE ANGB (KMTG)
TACAN RWY 19