




ADF required.		MALS F	MISSED APPROACH: Climb to 800 then climbing left turn to 1900 direct STUTT LOM and hold.
Rwy 36 helicopter visibility reduction below ¾ SM NA. Inop table does not apply to S-ILS all Cats. For Inop ALS, increase S-LOC Cat C and D visibility to ¾ SM.			
AWOS-3PT 119,025	LITTLE ROCK APP CON 135.4 353.6	CLNC DEL 123.7	UNICOM 122.8 (CTAF) 0



STUTTGART, ARKANSAS

AL-408 (FAA)

24053

WAAS
CH 58303
W18A

APP CRS
180°

Rwy Idg	6015
TDZE	224
Apt Elev	224

RNAV (GPS) RWY 18

STUTTGART MUNI CARL HUMPHREY FLD (SGT)

RNP APCH - GPS






For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C or above 48°C. Rwy 18 helicopter visibility reduction below $\frac{3}{4}$ SM NA.

MISSED APPROACH:
Climb to 2000 direct
HOGOM and hold.

AWOS-3PT
119.025

LITTLE ROCK APP CON
135.4 353.6

CLNC DEL
123.7

UNICOM
122.8 (CTAF) **L**

MIRL Rwy 18-36 and 9-27 **L**
REIL Rwy 18 and 27 **L**

STUTTGART, ARKANSAS
Amdt 1D 22FEB24

STUTTGART MUNI CARL HUMPHREY FLD (SGT)
RNAV (GPS) RWY 18

34°36'N-91°34'W

SC-1, 22 FEB 2024 to 21 MAR 2024

WAAS CH 97311 W36A	APP CRS 360°	Rwy Idg 6015 TDZE 224 Apt Elev 224
--	------------------------	---

RNAV (GPS) RWY 36

STUTTGART MUNI CARL HUMPHREY FLD (SGT)

RNP APCH

▼


▲

When local altimeter setting not received, use Bill and Hillary Clinton Nil/Adams Fld altimeter setting; increase LPV DA to 556 and all visibilities ½ SM; increase all MDAs 100 feet and visibility Cats C and D ¼ SM. For inop MALSF when using Bill and Hillary Clinton Nil/Adams Fld altimeter setting, increase LPV all Cats visibility to 1½ mile. VDP NA when using Bill and Hillary Clinton Nil/Adams Fld altimeter setting.


MALSF

MISSED APPROACH:
Climb to 2000 direct ZEDUK and hold.

AWOS-3PT 119.025	LITTLE ROCK APP CON 135.4 353.6	CLNC DEL 123.7	UNICOM 122.8 (CTAF) 0
----------------------------	---	--------------------------	---------------------------------






HOGOM		LAYIS		ZEDUK	
4 NM Holding Pattern		MAVRE 3 NM to RW36		*1220	
2000 ← 180°		1900		*1220	
GP 3.00° TCH 50		1900		*1220	
6 NM		2 NM		1.9 NM	
A		B		C	
LPV DA		474-¾		250 (300-¾)	
LNAV MDA		620-¾		396 (400-¾)	
CIRCLING		660-1		760-1½	
		436 (500-1)		536 (600-1½)	
		680-1		860-2	
		456 (500-1)		636 (700-2)	



APP CRS	Rwy Idg	5002
090°	TDZE	222
	Apt Elev	224

RNAV (GPS) RWY 9
STUTT GART MUNI CARL HUMPHREY FLD (SGT)

RNP APCH - GPS.		MISSED APPROACH: Climb to 2000 direct WEGAV and hold.	
AWOS-3PT 119.025	LITTLE ROCK APP CON 135.4 353.6	CLNC DEL 123.7	UNICOM 122.8 (CTAF) 0



SC-1, 22 FEB 2024 to 21 MAR 2024

SC-1, 22 FEB 2024 to 21 MAR 2024