


LOMPOC, CALIFORNIA

VANDENBERG SFB (KVBG)

LOMPOC, CALIFORNIA

34° 44' N - 120° 35' W

HI-ILS or LOC/DME RWY 12

HI-ILS or LOC/DME RWY 30

▼ * When AIS inop, increase CAT CDE RVR to 40 and vis to $\frac{3}{4}$ mile. ** When AIS inop, increase CAT CDE vis to $1\frac{1}{2}$ miles.	DME required.
AISF-2 	MISSED APPROACH: Climb out VBG TACAN R-309 to WARRN and hold. Continue climb in hold maintain 4000.

EMERG SAFE ALT 100 NM 11.1.100

MSA VBG 2.5 NM

360° 180° 270° 90°

3400 5600 4100

VANDENBERG
Chan 59 (V) VBG

WARREN
VBG 13

HOLD 8000

309° 129° 309°

1650 1035 605

R-2516

LOCALIZER 110.1
I-VBG

DAWNY
VBG 78

517 417

R-2517

2116

2018

125°

304° 150° 1450

R-2534B

R-2534A

IIAF
SRIMP
VBG 30

HOLD FL2000

304° 124°

R-124

235° (21)

LOMPOC

ZIRDI

3280 15


SAN MARCUS
114.9 RZS
Chan 96

6575 4000 6990


1200

120° 060° 234°

(a) (b) (c) (c)



4000 VBG R-309	WARIN VBG 13	VGSI and ILS Glidestope not coincident.	DAWNY 15	SRMP R-124 30	ELEV 368	TDZE 368
----------------------	--------------------	--	-------------	------------------	----------	----------




VANDENBERG SFB (KVBG)

HI-ILS or LOC/DME RWY 30

HI-TACAN RWY 12

TACAN VBG Chan 59(M)	APCH CRS TDZE 129° Apt Elev 368	Rwy Idg 15,000 265	AL-770 [USF]	VANDENBERG SFB (KVBG)
▼ * When ALS inop, increase CAT CDE vis to 1 ½ miles.			ALS-F-2 	MISSED APPROACH: Climb out VBG TACAN R-119 until 20 DME (WATKIN) and hold. Continue climb in hold maintain 7000.



FLIGHT PATH AND ALTITUDE DATA

C	D	E
740/50	475	(400-1)
1020-1¾	1180-2¾	1560-3
652 (700-1¾)	812 (900-2¾)	1192 (1200-3)

Waypoints and Altitudes:

- RAHMY R-309 30
- WARRN 13
- KIWEE 6.5
- DOYEB 2
- TACAN 2.9
- 7000 VBG R-119 20
- WATKIN VBG

Flight Path Details:


- FL 180
- 129°
- 3000
- 1900
- 4.5 NM
- 0.5

Other Information:

- EMERG SAFE ALT 100 NM 11,100
- 360°
- 4100
- 129°
- 15,000 * 200
- 0.125 UP
- ELEV 368
- TDZE 265
- HIRL Rwy 12-30
- 440

HI-TACAN Rwy 30

TACAN VBG Chon 59(Y)		APCH CRS 299 °	Rwy/Isg 15,000 TDLE 368 Apt Elev 368	AL-770 [USF]		VANDENBERG SFB (KVBG)	
▼ *When A1S inop, increase vis to 1½ miles.				A1S-2 	MISSED APPROACH: Climb out VBG TACAN R-309 to WARRN and hold. Continue climb in hold maintain 4000.		
A1IS	SANTA BARBARA APP/DEP CON	124.15 327.8	TOWER★ (CTAF) 124.950	GND CON	121.75 275.8	CLNC DEL	121.75 275.8
133.125 257.975							



EMERG SAFE ALT 100 NM 11,100

[illegible]

Amdt 4 02DEC21


34° 44'N-120° 35'W

VANDENBERG SFB (KVBG)

HI-TACAN Rwy 30

ILS or LOC/DME RWY 12

VANDENBERG SFB (KVBG)



ILS or LOC/DME RWY 12

VANDENBERG SFB (KVBG)


ILS or LOC/DME RWY 30

LOC I-VBG <u>110.1</u>	APCH CRS 305°	Rwy Idg 15,000 TDZE 368 Arprt Elev 368
----------------------------------	-------------------------	---

VANDENBERG SFB (KVBG)


DME required	A ** When ALS inop, increase RVR to 40 and vis to $\frac{3}{4}$ mile. ** When ALS inop, increase CAT AB RVR to 55 and vis to 1 mile, CAT COE vis to $\frac{1}{2}$ miles.
ALS-F-2 	MISSED APPROACH: Climb out VBG TACAN R-309 to WARREN and hold. Continue climb in hold maintain 4000.

MISSED APPROACH: Climb out VBG TACAN R-309 to WARRN and hold. Continue climb in hold maintain 4000.




4000 WARREN VBG VBG R-309 13 VGSI and ILS Glidestope not coincident. DAWNY 7.8 ZIRDI 15 HOYTS R-124 20 2600 1800 305° 6000 GS 3.00° TCH 72 CATEGORY S-ILS 30 * S-LOC/ ** DME 30 CIRCILING 980-1 1000-1 1020-1 1180-2 1560-3 612 (700-1) 632 (700-1) 652 (700-1.5) 812 (900-2.5) 1192 (1200-3) 568/24 200 (200-1/2) 900/24 532 (600-1/2) 900/55 532 (600-1)

325 440 TWR 382. 305° 0.9% DOWN 15,000 ± 200



TACAN RWY 12

TACAN VBG Chon 59(Y)	APCH CRS 129°	Rwy Idg TDZE Elev 265 368	AL-770 [USF]	VANDENBERG SFB (KVBG)		
* When AIS inop, increase CAT AB RVR to 55 and vts to 1 mile; CAT CDE vts to 1 3/8 miles.			ALS-F-2 MISSD APPROACH: Climb out VBG TACAN R-119 until 20 DME (WATKN) and hold. Continue climb in hold maintain 7000.			
AIS 133.125 257.975	SANTA BARBARA AP/DEP CON 124.15 327.8	TOWER* 124.950 (CTAF) 326.2	GND CON 121.75 275.8	CINC DEL 121.75 275.8		



TACAN RWY 30

TACAN VBG Chon 59(Y)	APCH CRS 299°	Rwy Idg TDZE 368 Appl Elev 368
--------------------------------	-------------------------	--

AL-770 (USSF)


VANDENBERG SFB (KVBG)

▼ * When AIS Inop, increase CAT AB RVR to 55 and
vis to 1 mile, CAT CDE vis to 1½ miles.




MISSED APPROACH: Climb out VBG TACAN R-309 to
WARRN and hold. Continue climb in hold maintain 4000.

ATIS	SANTA BARBARA APP/DEP CON	TOWER ★ [CTAF]	GND CON	CINC DEL
133.125 257.975	124.15 327.8	124.95 0	121.75 275.8	121.75 275.8



EMERG SAFE ALT 100 NM 11,100

ELEV 368	TDZE 368
----------	----------



CATEGORY	A	B	C	D	E
S-30 *	920/24 552 (600-½)		920/60 552 (600-1½)		
CIRCLING	980-1 612 (700-1)	1000-1 632 (700-1)	1020-1¼ 652(700-1¼)	1180-2¾ 812(900-2¼)	1560-3 1192(1200-3)

34°44'N-120°35'W

LOMPOC, CALIFORNIA
Amdt 4 02DEC21

VANDENBERG SFB (KVBG)
TACAN RWY 30