


CAMP DOUGLAS, WISCONSIN

HI-TACAN RWY 27

VOLK FLD (KVOK)



AL-714 [USAF]

Volk FLD (KVOK)


LOC L-VOK 108.5	APCH CRS 269°	Rwy Idg THRE Apt Elev 912	9000
▼ ** When ALS inop, increase vis to $\frac{3}{4}$ mile. ** When ALS inop, increase CAT AB vis to 1 mile, CAT CDE vis to $\frac{1}{2}$ miles.			ALS-I
			AL-714 [USAF] VOLK FLD (KVOK)
MISSED APPROACH: Climb to 2200, then climbing left turn to 4000 via DLT VORTAC R-304 direct DLT and hold.			

- * When ALS inop, increase vis to $\frac{3}{4}$ mile.
- ** When ALS inop, increase CAT AB vis to 1 mile, CAT CDE vis to $1\frac{1}{8}$ miles.

ALSF-1

MISSED APPROACH: Climb to 2200, then climbing left turn to 4000 via DLL VORTAC R-304 direct DLL and hold.

*** Circling NA South
of Rwy 9-27.



EMERG SAFE ALT 1100 NM 4200					ELEV 912		THRE 904	
2200	4000	DLL	ADAMZ		BUCK/YOK			
		R-304	YOK		YOK			
			2500		269°		2900	
TACAN			AKETT		YOK			
			YOK		YOK			
			2500		2700			
			2500		GS 285°		TCH 35	
CATEGORY			A		B		C	
S-HLS 27 *			1104/24		200		(200-1/2)	
S-HOC 27 **			1320/24		416 (500-1/2)		1320/40	
CIRCLING			1400-1		1500-1		1500-1/2	
			488 (500-1)		588 (600-1)		588 (600-2)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1/2		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	
			588 (600-1)		588 (600-2)		658 (700-2 1/4)	
			1500-1		1500-2		1580-2 1/4	

CAMP DOUGLAS, WISCONSIN

43° 56' N-90° 15' W

Volk FLD (KVOK)

ILS or LOC/DME RWY 27

RNAV (GPS) Rwy 9

CAMP DOUGLAS, WISCONSIN	Rwy Idg	9000
APCH CRS	THRE	912
089°	Appt Elev	912

AL-71.4 [USAF]


VOLK FLD. (KVOK)

RNAV 1 - GPS required. DME/DME RNP-0.3 NA.
* When ALS inop, increase CAT AB vis to 1 mile, CAT CDE vis to 1 3/4 miles.



MISSED APPROACH: Climb to 4000 direct ZOGEI and hold, continue climb-in-hold to 4000.

ATIS	APP CON	TOWER *	GND CON
134.35 257.85	135.25 244.875	127.5 0 (CTAF) 239.25 0	121.9 275.8



5 NM Holding Pattern KRUGY					4000	ZOGEI	ELEV 912	THRE 912
CATEGORY	A	B	C	D	E			
UNAV MDA *	1 500-3/4		1 500-1 1/4	588 (600-3/4)				
CIRCLING	588 (600-3/4)		1 500-1 1/4	588 (600-1 1/4)				
NOT AUTHORIZED								
CAMP DOUGLAS, WISCONSIN								

43°56'N-90°15'W

VOLK FLD. (KVOK)

Amtd 1


RNAV (GPS) Rwy 9

CAMP DOUGLAS, WISCONSIN

TACAN RWY 9

VOLK FLD. (KVOK)

AL-71.4 [USAF]



CAMP DOUGLAS, WISCONSIN
Amdt 3

43°56'N-90°15'W

VOLK FLD. (KVOK)

TACAN RWY 9